

Integrated Fire Safety Monitoring Using Arduino

Mr.D.Nagesh¹, Rachuri Akshitha², Rathod Indhan², Poudala Nithin², M Gowtham²

¹Asst. Professor, Computer Science and Engineering, CMR Engineering College, Medchal, T.S, India,

²B. Tech, Computer Science and Engineering, CMR Engineering College, Medchal, T.S, India

ABSTRACT:

Home fires have been taking place frequently and the threat to human lives and properties is growing in recent years. LPG is highly inflammable and can burn even at some distance from the source of leakage. Most fire accidents are caused because of a poor-quality rubber tube or when the regulator is not turned off. The supply of gas from the regulator to the burner is on even after the regulator is switched off. By accident, if the knob is turned on results in the gas leaks. This paper deals with the detection, monitoring and control system of LPG leakage. Using relay DC motor the stove knob is automatically controlled. This system also consists of GSM (Global System for mobile communications) module, which alerts by sending SMS to the owner.

Keywords: GSM, LPG gas, DC motor, fire.

1. INTRODUCTION

Gas leakage tragedies and accidents have lead to heavy losses over the years. So it is very important to detect any gas leakage and prevent any accidents. We here propose to build the system using a MQ6 gas detection sensor and interface it with 8051 family microcontroller along with GSM modem. The gas leakages are detected by gas sensor, the signal from gas sensor is applied to microcontroller and we also used the Fire sensor to detect the fire level, Temperature sensor LM35 and LDR also used. The microcontroller processes this signal and sends it to the GSM modem. The GSM modem now sends out an alerting SMS to the authorized people so that they may handle the issue. LPG (Liquefied Petroleum Gas) is a popular cooking fuel. LPG gas is a flammable mixture of hydrocarbon gases (composed of mostly propane and butane) used as a fuel in house appliances and vehicles and in industries. It is odourless gas due to which Ethanethiol is added as powerful odorant, so that leakage can be easily detected. LPG is one of the alternate fuels used now days. Sometimes liquefied petroleum gas is also known as LPG, LP gas, Auto gas etc. This gas is commonly used for heating appliances, hot water, cooking, and various other purposes also. LPG is also used as an alternate fuel in vehicles because of soaring in the prices of petrol and diesel. Compressed natural gas (CNG) (methane stored at high pressure) is a fuel which can be used in place of gasoline (petrol), Diesel fuel and propane/LPG. CNG combustion produces fewer undesirable gases than the fuels mentioned above. It is safer than

other fuels in the event of a spill, because natural gas is lighter than air and disperses quickly when released. CNG is mainly used for powering vehicles but it is also used for household and industrial purpose as an alternative for LPG gas and other fossil fuels due to its non-polluting nature. Some people have low sense of smell, may or may not respond on low concentration of gas leakage. In such a case, gas leakage security systems become an essential and help to protect from gas leakage accidents. A number of research papers have been published on gas leakage security system. Embedded system for Hazardous gas detection and Alerting has been proposed where the alarm will be activated immediately, if the gas concentration exceeds normal level. There have been many accidents that have been caused due to leakage of gas and have caused loss of life and property. Gas leakage detection is not only important but stopping leakage is equally essential. This paper provides a cost effective and highly accurate system, which not only detect gas leakage but also alert (Beep) and turn off the gas supply as well as turn off main power and gas supplies, further it will send an SMS. GSM module is used which alert the user by sending an SMS. In order to provide high accuracy gas sensor MQ 6 has been used.

2. RELATED STUDY


Many Systems have been proposed earlier by different authors and researchers and that has helped us to improve the gas safety issue in our every day to day lives. LPG detection, measurement and booking system. This system presented how to detect the leakage using a gas sensor and book a new cylinder automatically by sending a message to agency. But there was no steps taken to prevent accident in case of leakage. [1] LPG leakage monitoring and multilevel alerting system was proposed. A system using LPG gas sensor for sensing the leakage and produce the result in audio and visual formats also alerts human via Short Message Service (SMS). But it lacked an automatic prevention system. [2] Design and implementation of an economic gas leakage detector was proposed. A system, detecting low and high gas leakage levels and alerts the users by issuing appropriate audio-visual warning signals. The cost involved in developing the system is significantly low and is much less than the cost of gas detectors commercially available in the market. [3] A controlling and monitoring system for LPG was proposed. In this system the stove knob is automatically controlled using relay dc motor. Additionally, they have proposed the automatic rebooking of cylinder when the level of gas goes below the normal weight of cylinder. But there was no provision for detection of gas and prevention of fire accident due to gas leakage. [4]

Gas leakage Detection and Smart alerting and prediction using IOT. This system detected the leakage of gas and alerted and also it predicted for any future detection. But there was no provision for prevention and elimination of the leaked gas. [5] Most of the LPG safety devices present in the market or proposed earlier are mostly based to detect the leakage of gas and home automation like automatic booking etc, but there are very few that deal with prevention of accidents that are caused by LPG/CNG gas there are devices that are either designed to prevent leakage or to detect leakage[6][7]. And here the question arises that what if there is a leakage and how to control it automatically so as to prevent and accidents. The

solution to this problem is our device[8][9]. Our device not only detects any leakage but automatically stops further leakage and it also alerts the user by sending an SMS[10].

3. AN OVERVIEW OF PROPOSED SYSTEM

There is no automatic device to prevent household disaster caused by LPG and CNG so our device is the solution that problem. Our device consists of three main parts Detection System Prevention System Alerting System Detection system This part consists of a gas sensor and LCD these will continuously monitor the gas concentration[11]. Prevention System This part consists of a special type of Gas valve that we will be designing it will be similar to our present regular valves but a stepper motor will attached to its control knob to allow automatic and as well as manual control. And these parts will be interfaced with Microcontroller which will be controlling the whole device. Alerting system it consists of a GSM modem to send an Alert message to the user via SMS[12]. The detection System gas sensor will continuously monitor for any leakage in gas and if there is any leakage it will send a signal to the microcontroller and then the microcontroller will sound the alarm and turn off the gas supply using an stepper motor and then by using GSM module it will also send an SMS to the owner alerting him or her about the incident.



4. CONCLUSION

In this paper we have successfully designed and implemented the gas leakage detection system for home safety and industrial applications. This system detects the leakage of the LPG/CNG and alerts the consumer about the leak by sending an SMS and as an emergency measure the system will turn off the valve of Gas supply Multiple SMS can be sent by changing programming GSM module. This project is implemented using the Atmel 89c51 Microcontroller. This system has great scope in the home automation industry this system can be added with extra features like automatic gas booking system and home fire safety system. This system can be modified to be used for industrial and household purpose especially in the industries where there is emulsion of harmful and flammable gases. The cost involved in

developing the system is significantly low and it can be easily made available to the people and the usefulness of this device is immense.

References

- [1] Alipour, S., Mortazavi, Y., Khodadadi, A., Medghalchi, M., Hosseini, M., “Selective Sensor to LPG in presence of CO using nanogold filter, operating at low temperature, with Pt/SNO₂”, Fifth IEEE Conference, 2006.
- [2] Sharma, S., Mishra, V.N., Dwivedi, R., Das, R. “Classification of Gases/odours using Dynamic Responses of Thick Film Gas Sensor Array”, IEEE Conference on Sensors Journal, 2013.
- [3] Selvapriya , Sathya Prabha, Abdulrahim, Aarthi K C, “LPG leakage monitoring and multilevel alerting system”, International Journal Of Engineering Sciences & Research Technology S.Sivajothi Kavitha1 S. Senthil kumar, “A wireless gas leakage & level detection with auto renewal system”, International Journal Of Advanced Research In Electrical, Electronics And Instrumentation Engineering Vol. 4, issue 4, April 2015.
- [4] Sayali Bhogate, Pooja Chavan, Supriya Chavan, Priyanka Doke, Sumita Chandak, “Real time gas leakage detection using Cloud”, International Journal Of Innovative Research In Science, Engineering And Technology Vol. 6, issue 4, April 2017.
- [5] Rajesh Tiwari, Manisha Sharma and Kamal K. Mehta “IoT based Parallel Framework for Measurement of Heat Distribution in Metallic Sheets”, Solid State Technology, Vol. 63, Issue 06, 2020, pp 7294 – 7302, ISSN: 0038-111X.
- [6] Dr. Sheo Kumar, Dr. Rajesh Tiwari and Neethu Choudhary, “Detection of Phishing Attacks in Web Environment using Unsupervised Machine Learning” National Conference on Computational Methods, Data Science and Applications (NC-CMDSA 2021) held at Maulana Azad National Urdu University, Hyderabad on 24th – 25th May 2021.
- [7] A.Mahalingam, R. T. Naayagi, N. E. Mastorakis, “Design and implementation of an economic gas leakage detector”.
- [8] Jaspal Bagga, Latika Pinjarkar, Sumit Srivastava, Omprakash Dewangan, Rajesh Tiwari, “Latest Advancement in Automotive Embedded System Using IoT Computerization”, Green Computing and Its Applications by Nova Publishers 2021, ISBN: 978-1-68507-357-2, pp 131 - 165. ,DOI:<https://doi.org/10.52305/ENYH6923>.
- [9] Rajesh Tiwari, Deevesh Chaudhary, Tarun Dhar Diwan, Prakash Chandra Sharma, “Privacy and Security Solution in Wireless Sensor Network for IoT in Healthcare System”, Next Generation Healthcare Systems Using Soft Computing Techniques, by CRC Boca Raton, FL 33487, U.S.A 2022, ISBN: 978-1-03210-797-4,pp 123 – 135, DOI: <https://doi.org/10.1201/9781003217091-9>.
- [10] Ch.Manohar Raju And N.Sushma Rani,“An android based automatic gas detection and indication robot”, International Journal Of Computer Engineering And Applications, Volume 8, issue 1, October 14.
- [11] T.Soundarya, J.V .Anchitaalagammai, “Control and monitoring system for Liquefied Petroleum Gas (lpg) detection”, International Journal Of Innovative Research In Science, Engineering And Technology Volume 3, special issue 3, March 2014,International conference on innovations in engineering and technology (iciet’14).
- [12] Asmita Varma, Prabhakar S, Kayalvizhi Jayavel, Gas Leakage Detection and Smart Alerting and prediction using IoT. Computing and Communications Technologies (ICCCT), 2017 2nd International Conference on 23-24 Feb. 2017.